

# Elpress mini

- electro-hydraulic crimping tool 6 to 70 mm<sup>2</sup>



The Elpress mini tool PVL350 in a new sleek design with a high performance Li-Ion battery that streamlines your work with its improved battery capacity.

## CHARACTERISTICS:

- Single-handed operation for easy control of all tool functions
- Slim fitting crimping head – ideal for confined spaces
- High-performance 12 V Li-Ion battery – with indication of charge status
- Opening, rotatable “flip-top” head for easy die change and good accessibility
- Easy and comfortable to use with one hand thanks to its ergonomic 2-component housing with grip-friendly protection
- Extremely lightweight and rapid crimping process for maximum efficiency
- Automatic return of dies when crimping is completed

## TECHNICAL DATA PVL350:

<b>Crimping force</b>	35 kN
<b>Crimping range</b>	6-70 mm <sup>2</sup>
<b>Crimping process</b>	about 3-4 s (dependent on material)
<b>Battery voltage</b>	12 V
<b>Battery capacity</b>	2 Ah, Li-Ion
<b>Charge time</b>	about 90 minutes.
<b>Weight including battery</b>	1.6 kg
<b>Ambient temperature</b>	-10°C to +40°C
<b>Dimensions</b>	330 x 85 x 60 mm

## Elpress MINI – crimping dies



Application	Area	Dies	
CUT-connector	6-16 mm <sup>2</sup>	MB4016	
	KR/KRD, KS/KSD	KR/KRF, KS/KSF	KRT/KST
Hexagonal 4-10 mm <sup>2</sup>	MB4016	MB4016	-
Hexagonal 10 mm <sup>2</sup>	MB8	MB8	MB7
16 mm <sup>2</sup>	MB8	MB9	MB8,5
25 mm <sup>2</sup>	MB9	MB11	MB10
35 mm <sup>2</sup>	MB11	MB13	MB12
50 mm <sup>2</sup>	MB12	MB14,5	MB14
70 mm <sup>2</sup>	MB14	MB17	MB16
95 mm <sup>2</sup>	MB17		
C-connectors	12-26 mm <sup>2</sup> (C6-10) 30-50 mm <sup>2</sup> (C16-25)	MBC5 MBC6	

